

AUTHOR INDEX

Canadian Journal of Plant Science, Volume 67, 1987

- Ablett, G. R., 275
 Abramson, D., 611
 Adomait, E. J., 131
 Andrews, C. J., 1121
 Armstrong, K. C., 267
 Ashford, R., 286
 Austenson, H. M., 279
 Aylesworth, J. W., 817, 819, 821
 Baker, R. J., 87, 284
 Baron, V. S., 1009, 1105
 Bassett, I. J., 1069
 Beaulieu, G. C., 675
 Belanger, G., 249, 495, 1091
 Belzile, L., 1101
 Berard, L. S., 321
 Berkenkamp, B., 175, 831
 Bernard, R. L., 105
 Bernier-Cardou, M., 765
 Beversdorf, W. D., 255, 257, 275, 280, 285
 Bhatti, R. S., 245, 997
 Binns, M. R., 477, 1203
 Bittman, S., 275, 467, 845
 Blackburn, W. J., 1167
 Black, C. C., Jr., 305
 Bolduc, R., 343
 Bowley, S. R., 159
 Braun, H. E., 355
 Braunberger, P. G., 280
 Breen, P. J., 1193
 Brooke, B., 259, 503
 Brown, D. M., 1167
 Brule-Babel, A. L., 276
 Brun, L., 35
 Bubar, J. S., 249, 253, 495
 Burger, Y., 593
 Bushuk, W., 713
 Buttery, B. R., 69, 425
 Buxton, D. R., 1057
 Buzzell, R. I., 661, 817
 Caldwell, C. D., 645
 Caldwell, C., 1093
 Campbell, A. B., 229, 803
 Campbell, T. A., 909
 Capcara, J. J., 491
 Castillo, J., 276
 Castonguay, Y., 765
 Chevrier, G., 567
 Chiang, M. S., 567, 891
 Chong, C., 567
 Chubey, B. B., 589
 Clapham, W. M., 521
 Clarke, J. M., 417
 Clear, R. M., 611
 Collins, D. P., 445
 Cooke, L. A., 697
 Coulman, B. E., 203, 276
 Court, W. A., 1203
 Couture, L., 153
 Crete, R., 567, 891
 Cross, H. Z., 35
 Crowle, W. L., 953
 Croy, L. I., 403
 Czarnecki, E., 229, 803
 Daley, P. F., 433
 Dale, A., 853
 Dansereau, B., 871
 Darwent, A. L., 755
 De Pauw, R. M., 225, 807
 Deschenes, J. M., 1019, 1035
 Desjardins, Y., 863
 Dexter, J. E., 697
 Dhanvantari, B. N., 685
 Dick, J., 359
 Dirks, V. A., 275
 Doane, J., 117
 Dostaler, D., 153
 Downey, R. K., 491, 983
 Drabble, J. C., 755
 Dubuc-Lebreux, M. A., 321
 Dupuis, B., 249, 253, 495
 Dutton, R. G., 585
 Dwyer, L. M., 21
 Ehiwe, A. O. F., 667
 Elliott, C. R., 755
 Elliott, R. H., 697
 Ensing, J., 131
 Entz, M. H., 277
 Faris, D. G., 1097
 Fillmore, A., 249, 495
 Findlay, W. I., 425
 Flint, E. P., 59
 Flint, E. P., 629
 Flynn, D. W., 235
 Foley, M. E., 509
 Fowler, D. B., 276, 277, 278, 279, 281, 282, 285, 1111
 Frank, R., 355

Page number in bold face refer to abstracts.

- Fraser, J., **278**
Friesen, G. H., 271, 835
Gehring, A., 511
Gendron, G., 373
George, J. R., 167
Gervais, P., 137, 735
Gibb, C. L., 1181
Gilliland, D. J., **278**
Girard, J. M., 735
Goos, E. J., 395
Gosselin, A., 559, 863, 899
Gostovic, P., 255, 257
Graf, R. J., 1
Gray, V. P., 853
Gubbels, G. H., 797
Gusta, L. V., 1155
Gutek, L. H., 813

Hall, J. W., 259
Hanna, M. R., 827
Hawkins, J. L., 1181
Hendel, J. G., 1203
Hesketh, J. D., 105
Hobbs, S. L. A., 457
Hofstra, G., 131
Holl, F. B., 215
Holmes, B. M., 395
Holt, N. W., **279**
Hopkins, P. R., **279**
Hornstein, J. S., 1057
Huang, H. C., 827
Hucl, P., 87
Hughes, G. R., **285**
Hultgreen, G. E., **279**
Hulugalle, N. R., 531
Hume, D. J., 11, 255, 257, **280**, 675
Hunt, L. A., **281**
Hunter, R. B., 747
Hurd, A. E., 807
Hussain, A., 713

Ivany, J. A., 337, 1083

Jana, S., **280**
Janzen, H. H., 385
Jedel, P. E., **281**
Jensen, K. I. N., 369
Johnson, B. E., 395
Johnston, H. W., 1093
Jones, D., 249, 253, 495
Jones, R. W., 1093
Ju, H.-Y., 331
Kenaschuk, E. O., 797
Kernan, J. A., 953
Khangura, B. S., **280**
Kibite, S., 1009
Kiehn, F. A., 835
Kilborn, R. H., 697
King, M. J., 1231
Klassen, A. J., 491
Klinck, H. R., 499, 621
Knight, C. W., 53
Knowles, R. P., 719, 1051
Kormanik, P. P., 305
Kruger, J. E., 697
Kunelius, H. T., 185, 1045

Laberge, C., 349
Lafond, G. P., **281**
Langille, J. E., 249, 253, 495, 1093
Larter, E. N., 409
Lawrence, T., **279**
Legge, W. G., **282**
Leisle, D., **282**
Lemieux, C., 1019, 1035
Lendrum, C. W. B., 225, 807
Leroux, G. D., 451
Lewis, C. E., 53
Limin, A. E., **278**, **282**, **1111**
Lindwall, C. W., 385
Liptay, A., 537
Lockhart, C. L., 1091
Loiselle, F., 137

Mack, H. J., 1193
MacLeod, J. A., 185
MacPherson, D. J., 1089
Major, D. J., 385
Malhi, S. S., 1089, 1105
Malik, N., 263, **283**, 839
Marchylo, B. A., 927, 945
Marshall, G., 1117
Marsh, H. V., 521
Marten, G. C., 1057
Martinuzzi, O., 121
Mauk, C. S., 1193
Max Vines, H., 305
Mazza, G., 589
McBeath, D. K., 1105
McBlain, B. A., 105
McConnell, M. B., 589
McCrystal, G. E., 225, 807
McGregor, D. I., 43, 983
McHughen, **284**
McKeague, J. A., 231
McKeown, A. W., 365, 599

- McKercher, R. B., 286
 McKersie, B. D., 159
 McLeod, J. G., 417
 McNeil, J. N., 433
 McPherson, H., 283
 McRae, K. B., 185
 McVetty, E. A., 239
 McVetty, P. B. E., 283
 Meeres, E. J., 175, 831
 Menkir, A., 409
 Metcalfe, D. R., 823
 Miles, N. W., 853
 Mitchell, W. W., 193
 Mohr, W. P., 881, 919
 Monette, S., 315
 Morgan, B. C., 697
 Morrall, R. A. A., 805
 Morrison, I. N., 1117
 Morrison, M., 283
 Moyer, J. R., 727
 Muir, W. E., 637
 Mulligan, G. A., 777
 Mullin, W. J., 331
 Munro, D. B., 777, 1069
 Muscat, J. C., 255, 257
- Najda, H. G., 755
 Narasimhalu, P. R., 1045
 Nass, H. G., 249, 253, 495, 605, 1093
 Neilsen, G. H., 511
 Nelson, S. H., 299
 Nerson, H., 593
 North, L. H., 369
 Nowicki, T. W., 611
 Nuttall, W. F., 813
- Oakes, B., 276
 O'Connor, B. J., 1155
 O'Donovan, J. T., 787
 Orshinsky, B. R., 284
- Pageau, D., 451
 Paquin, R., 343, 765
 Paris, H. S., 593
 Park, S. J., 425, 653, 685, 817, 819, 821
 Patterson, L. A., 225
 Pavlikova, E., 99
 Pearen, J. R., 284
 Pelletier, G. J., 153
 Penner, G. A., 284
 Piening, L. J., 1089
 Pinter, L., 747
 Potts, D. A., 285
 Preston, K. R., 697
- Pritchard, M. K., 549
 Proctor, J. P., 923
 Protz, R., 231
 Pulkinen, D. A., 275
- Quamme, H. A., 1135
- Rakow, G., 147
 Ramirez, H., 713
 Reichert, R. D., 667
 Reigh, G. S., 167
 Remphrey, W. R., 1181
 Rennie, B. D., 285
 Rhoden, E. G., 403
 Ringdahl, E. A., 239
 Ripley, E. A., 285
 Ritcey, G., 355
 Roca, W., 713
 Rood, S. B., 99
 Rossnagel, B. G., 287
 Rouhani, I., 305
 Rowland, G. G., 1, 79, 245
- Sackston, W. E., 349
 Sampson, D. R., 235
 Sanderson, J. B., 1045
 Sauvesty, A., 373
 Scarth, R., 283
 Schewe, B. A., 285
 Scoles, G. J., 284
 Senecal, M., 871
 Sernyk, J. L., 239
 Sharma, M. P., 787
 Shattuck, V. I., 359, 1221
 Shaw, G. B., 286
 Shelp, B. J., 1221
 Sheppard, S. C., 286, 1181
 Shorthouse, J. D., 1227
 Sionit, N., 59, 629
 Skerriitt, J. H., 121
 Slinkard, A. E., 805
 Smith, D. L., 11
 Smoliak, S., 727
 Soroka, J. J., 549
 Spurr, D. T., 953
 Starratt, C. E., 645
 Stevenson, D. S., 511
 Stewart, D. W., 21
 Stewart, K. A., 315
 Stobbs, L. W., 289
 Stone, J. A., 231
 Stout, D. G., 259, 503
 Strain, B. R., 59, 629
 Stushnoff, C., 1151

- St-Pierre, C. A., 137
Sumner, A. K., 953
Swanton, C. J., 280
- Tan, C. S., 575
Taylor, R. L., 1097
Tibelius, A. C., 621
Todd, B. G., 215
Tonye Kamen, J., 35
Townley-Smith, T. F., 225, 807
Tremblay, N., 559
Tritter, S. A., 215
Trudel, M.-J., 559, 899
Tsujita, M. J., 585
Tu, J. C., 661, 817, 821
- Valdes, E. V., 747
Van de Vrie, Q., 255, 257
Van Schagen, J. G., 289
Van den Berg, C. G. J., 287
Vanden Born, W. H., 839
- Vandierendonck, P., 537
Vera, C. L., 983
Versavel, P. A., 637
Vieth, J., 321
- Waddington, J., 263, 275, 467, 845, 849
Wall, D. A., 835
Walper, B. M., 284
Walton, R. B., 253
Watson, A. K., 1019, 1035
Watts, B. M., 923
Weaver, S. E., 575
Weller, D. L., 293
Wilcox, D. H., 1117
Willatt, S. T., 531
Winter, K. A., 445
Wolfe, R. I., 1097
Woods, D. L., 147
Wright, A. T., 117, 813
Wrigley, C. W., 121
- Yelle, S., 899

SUBJECT INDEX

Canadian Journal of Plant Science, Volume 67, 1987

- Acclimation
 low-temperature stress in horticultural production, 1135
- Acid detergent fiber
 effect of barley, red clover and weeds on timothy, 1019
- Acid extract viscosity
 acid extract viscosity and β -glucan of barley, 997
- Acide ascorbique
 temps de doublage des framboisiers cultivés in vitro, 863
- Activité nitrates réductase
 fertilisation azotée, activité nitrates réductase chez l'avoine, 373
- Adaptability
 adaptability of Jerusalem artichoke in Quebec, 349
- Adaptation
 sorghum production in Alberta, 385
 winter rapeseed adaptation, 675
- Alder
 control of speckled alders in lowbush blueberries, 369
- Alfalfa
 Barrier alfalfa, 827
 effects of herbicides on alfalfa forage production, 849
 effect of rapeseed companion crop on alfalfa seed yield, 263
 forage quality of alfalfa stems, 1057
 genetic variance of proteolytic activity in alfalfa herbage, 159
 N and P fertilizer for alfalfa establishment, 275
 performance of smooth and meadow brome grass, 284
 photosynthesis in leafminer infested alfalfa, 433
- Alfalfa blotch leafminer
 photosynthesis in leafminer infested alfalfa, 433
- Alfalfa rotation
 corn root distribution and rotation, 231
- Alopecurus*
 forage quality: indigenous and introduced grasses, 193
- Alternate N sources
 N₂ fixation in white bean and soybean, 11
- Amelanchier alnifolia* Nutt.
 etiolation aids rooting of Saskatoon berry cuttings, 299
- Ammonia losses
 urea and ammonium nitrate for grasses, 185
- Ammonium nitrate
 urea and ammonium nitrate for grasses, 185
- Anatomy
 leaf area in maize, 99
- Annual crops
 annual forage mixtures, 175
- Annual forage
 harvest modes of annual forages, 831
- Anthesis
 snap bean flower and pod abscission, 1193
- Apical chlorosis
 adaptability of Jerusalem artichoke in Quebec, 349
- Apple
 apple peroxidases, 293
 cryopreservation of apple genetic resources, 1151
 rootstocks, 293
- Application technique
 residues of sulfonil urea herbicides, 286
- Arctagrostis*
 forage quality: indigenous and introduced grasses, 193
- Artificial drying
 harvest time and drying method for winter rye, 417
- Artichoke (Jerusalem)
 adaptability of, in Quebec, 349
 tolerance of, to herbicides, 835
- Atrazine
 sorghum production in Alberta, 385
- Atriplex*
 the biology of Canadian weeds, 1069
- Auxin
 etiolation aids rooting of Saskatoon berry cuttings, 299
- Avena fatua* L. (see Oat (wild))
- Avena sativa* L. (see Oat/voyez Avoine)
- Avoine
 cereales de printemps récoltes en vert et a la maturité, 137
 fertilization azotée, activité nitrates réductase chez l'avoine, 373

Page numbers in **bold** face refer to abstracts

Bacterial wilt

- barrier alfalfa, 827
- Barley
 - barley net blotch disease, 287
 - genetic diversity in crop plants, 280
 - barley cultivar identification by SDS gradient PAGE, 927
 - barley whole-plant yield, 1009
 - chlorsulfuron effect on barley and rotation crops, 337
 - crushing stems to improve field drying, 637
 - Ellice barley, 823
 - frost and ice-nucleating bacteria in field crops, 1155
 - immaturity and harvesting method effects on barley grain, 953
 - KCl and root rot, 395
 - metsulfuron effect on barley and succeeding crops, 1083
 - Otal barley, 1097
 - Photoperiod and water stress effects on barley, 21
- Barley, (hulled, hullless)
 - acid extract viscosity and β -glucan of barley, 997
- Bean anthracnose
 - Aresteuben field bean, 817
 - Dresden field bean, 821
- Bean, common mosaic virus, 821
- Bean, (field)
 - Aresteuben field bean, 817
 - Dresden field bean, 821
 - field bean G \times E interactions, 653
- Bean (snap)
 - snap bean flower and pod abscission, 1193
- Bean (navy)
 - cultivar and location effects on navy bean cooking times, 923
- Bean (white)
 - bean interspecific crosses, common blight, 685
 - bean nitrogen response, 425
 - N₂ fixation in white bean and soybean, 11
 - ozone on white bean, 131
- Biomass
 - photoperiod and water stress effects on barley, 21
- Biotechnology
 - wheat callus culture and regeneration, 284
- Bioxyde de carbone
 - enrichissement en CO₂ de la tomate de serre, 899
- Bipolaris sorokiniana*
 - tolérance d'orge à la tache helminthosporienne, 153
- Blé
 - céréales de printemps pour le grain et le fourrage, 137
- Blends
 - blends of flax cultivars, 797
- Blotchy ripening
 - potassium and tomato fruit color, 359
- Blueberry (lowbush)
 - control of speckled alders in lowbush blueberries, 369
- Boron
 - boron and hollow stem in broccoli, 1221
- Brassica napus* L. (see Canola)
- Brassica oleracea* L. (see Kale)
- Brassica oleracea* L. var. *Capitata* (see Cabbage/voyez Chou)
- Brassica oleracea* var. *italica* Pl. (see Broccoli)
- Brassica rapa* L. (see Turnip (stubble))
- Breeding method
 - recurrent selection in faba bean, 79
- Broadleaf weeds
 - effect of barley, red clover and weeds on timothy, 1019
 - weed dynamics in timothy stands, 1035
- Broccoli
 - boron and hollow stem in broccoli, 1221
 - flea beetle feeding on broccoli, 549
- Bromegrass
 - mixtures of bromegrass, orchardgrass and timothy, 203
 - urea and ammonium nitrate for grasses, 185
- Bromegrass (smooth and meadow)
 - performance of smooth and meadow bromegrass, 284
- Bromus*
 - chromosome numbers of perennial *Bromus* species, 267
 - forage quality: indigenous and introduced grasses, 193
- Bromus inermis*
 - economics of N fertilization, 1105
- Brunissement
 - prelevement et mesure de la tolérance au gel du fraisier, 343
- Bud position
 - potato shoot emergence, 599
- β -glucan
 - acid extract viscosity and β -glucan of barley, 997
- Cabbage
 - inheritance of goitrin in cabbage, 567
 - male sterility in *B. oleracea*, 891
- Calamagrostis*
 - forage quality: indigenous and introduced

- grasses, 193
- recovery of pinegrass, 259
- Calamagrostis rubescens* Buckl.
 - grazing versus clipping, 503
- Calendula officinalis* L.
 - température et éclairage sur le *Gerbera* et le *Calendula*, 871
- Callus culture
 - wheat callus culture and regeneration, 284
- Canola
 - effect of rapeseed companion crop on alfalfa seed yield, 263
 - effect of volunteer Brassica on crops, 983
 - diplotaxis \times *B. napus* intergenic hybridization, 239
 - false cleavers (*Galium spurium* L.) competition and control in rapeseed, 839
 - frost and ice nucleating bacteria in field crops, 1155
 - heat unit baseline temperature for *Brassica napus*, 283
 - photosynthesis in normal and triazine-resistant *Brassica*, 457
 - photosynthetic efficiency in triazine-resistant canola, 280
 - plant density and rapeseed yield, 43
 - rapeseed cultural practices in Alaska, 53
 - winter rapeseed adaptation, 675
- Capsicum annuum* L. (see Pepper)
- Captan
 - captan residues on greenhouse and field tomato fruit, 355
- Carbofuran
 - flea beetle feeding on broccoli, 549
- Carbon dioxide \times temperature interaction on soybean, 59, 629
- Carbon dioxide exchange rate
 - photosynthesis in normal and triazine-resistant *Brassica*, 457
- Cauliflower, quality of, 589
- Cereal seed
 - vigor of testing of cereal seed, 286
- Cereals
 - annual forage mixtures, 175
 - cold tolerance in cereals, 278
 - harvest modes of annual forages, 831
 - wheat midge in spring cereals, 117
- CERES wheat model
 - test of the CERES wheat model, 285
- Chemical composition
 - seeding dates of forage *Brassicas*, 1045
- Chiendent
 - durée d'interférence du chiendent dans la luzerne, 451
- Chilli pepper
 - water uptake and root growth in chilli peppers, 531
- Chilling
 - low temperature stress in crops, 1121
- Chilling injury
 - low-temperature stress in horticultural production, 1135
- Chloride fertilization
 - KCl and root rot, 395
- Chloride-nitrate interaction
 - KCl and root rot, 395
- Chlormequat chloride
 - response of Max spring wheat to management inputs, 645
- Chlorsulfuron
 - chlorsulfuron on barley and rotation crops, 337
 - residues of sulfonyl urea herbicides, 286
- Chou
 - desordres physiologique du chou en entrepot, 321
- Chromosome number
 - chromosome number of perennial *Bromus* species, 267
- Clover (red)
 - growth type in red clover, 276
- Clover (white)
 - white clover in Atlantic Canada, 278
- Cochliobolus sativus*
 - KCl and root rot, 395
- Cold
 - low temperature stress in crops, 1121
- Cold hardiness
 - cold hardiness in forage grasses, 1111
 - cold hardy semi-dwarf winter wheat, 278
 - cryopreservation of apple genetic resources, 1151
 - genetics of cold hardiness in winter wheat, 276
 - low-temperature stress in horticultural production, 1135
- Cold tolerance
 - cold tolerance in cereals, 278
 - cold tolerance in maize, 409
 - improvement of cold tolerance in wheat, 282
- Color
 - cauliflower quality, 589
- Common blight
 - bean interspecific crosses, common blight, 685
- Common mosaic virus
 - Dresden field bean, 821
- Common root rot

- KCl and root rot, 395
- Companion crop (wheat)
N and P fertilizer for alfalfa establishment, 275
- Competition
effect of barley, red clover and weeds on timothy, 1019
false cleavers (*Galium spurium* L.) competition and control in rapeseed, 839
weed dynamics in timothy stands, 1035
weed interference in field-seeded tomatoes, 575
- Composition chimique
désordres physiologique du chou en entrepôt, 321
hauteur et fréquence des coupes chez la luzerne, 735
- Control
false cleavers (*Galium spurium* L.) competition and control in rapeseed, 839
- Cooking time
cultivar and location effects on navy bean cooking times, 923
- Copper deficiency
the effect of copper in reducing stem melanosis of Park wheat, 1089
- Copper fertilizer
the effect of copper in reducing stem melanosis of Park wheat, 1089
- Copper-deficient soils
the effect of copper in reducing stem melanosis of Park wheat, 1089
- Corn
cold tolerance in maize, 409
leaf area in maize, 99
plant density, maturity and prolificacy effects on early maize, 35
viruses of corn in Peru, 276
- Corn (field)
control of wild oats in field corn with flammop methyl, 271
- Correlation
bean interspecific crosses, common blight, 685
- Covariate analysis
neighbor methods for field trials, 477
- Critical period
weed interference in field-seeded tomatoes, 575
- Croissance
enrichissement en CO₂ de la tomate de serre, 899
- Crop losses
freezing temperature impact, 1167
- Crop management, of winter wheat, 277
- Crop residue
effect of brassica residue on crops, 983
- Crop tolerance
residues of sulfonyl urea herbicides, 286
tolerance of Jerusalem artichoke to herbicides, 835
- Crossability
Diplotaxis × *B. napus* intergeneric hybridization, 239
- Crude protein
effect of barley, red clover and weeds on timothy, 1019
forage quality of alfalfa stems, 1057
- Cryopreservation
cryopreservation of apple genetic resources, 1151
- Cucurbita moschata*
leaf silvering of *Cucurbita*, 593
- Cucurbita pepo* L.
leaf silvering of *Cucurbita*, 593
- Cultivar description
Absolvent winter wheat, 1093
Areteuben field bean, 817
Barrier alfalfa, 827
Beauguelita spring triticale, 495
Bellevue field pea, 805
Belvedere spring wheat, 253
Dresden field bean, 821
HY320 red spring wheat, 807
Katepwa hard red spring wheat, 229
Kyle durum wheat, 225
Max spring wheat, 249
Mitchell field bean, 819
OAC aries soybean, 257
OAC scorpio soybean, 255
Otal barley, 1097
Roblin hard red spring wheat, 803
Vimy flax, 245
Westar summer rape, 491
- Cultivar identification
barley cultivar identification by SDS gradient PAGE, 927
- Cultivar × environment interaction
ancestral and modern wheat, 87
- Cultivar
potato shoot emergence, 599
tolérance d'orge à la tache helminthosporienne, 153
wheat midge in spring cereals, 117
- Cuphea toluicana*
chemical mutagenesis in tow *Cuphea* species, 909
- Cuphea wrightii*

- chemical mutagenesis in tow *Cuphea* species, 909
- Cytologie
desordres physiologique du chou en entrepot, 321
- Cytoplasmic male sterility
male sterility in *B. oleracea*, 891
Diplotaxis \times *B. napus* intergeneric hybridization, 239
- Day-neutral
hormetic stimulation of strawberry, 1181
- Defloration
vegetative growth in relation to pepper yield, 521
- Degree days
photoperiod and water stress effects on barley, 21
- Deschampsia*
forage quality: indigenous and introduced grasses, 193
- Desmodium ovalifolium* Guill et Perr.
identification of *D. ovalifolium* cvs. by PAGE, 713
- Desordre physiologique
desordres physiologique du chou en entrepot, 321
- Deterioration
calcium alleviates mung bean sprout spoilage, 537
- Development
plant density and rapeseed yield, 43
- Dicamba
control of speckled alders in lowbush blueberries, 369
- Dichlobenil
effects of herbicides on alfalfa forage production, 849
- Dichlorprop
shrubby cinquefoil control, 727
- Diclofop methyl
efficacy of wild oat herbicides, 1117
- Diclofop-methyl uptake
diclofop-methyl uptake in oat protoplasts, 215
- Difenzoquat
efficacy of wild oat herbicides, 1117
- Digestibility
barley whole-plant yield, 1009
fibrosity index vs. forage quality, 445
seeding dates of forage brassicas, 1045
- Diplois
chromosome numbers of perennial *Bromus* species, 267
- Diplolepis radicum* (Osten Sacken)
gall-inducing cynipid wasps attacking *Rosa rugosa*, 1227
- Diplolepis spinosa* (Ashmead)
gall-inducing cynipid wasps attacking *Rosa rugosa*, 1227
- Diplotaxis*
Diplotaxis \times *B. napus* intergeneric hybridization, 239
- Direct seed
flea beetle feeding on broccoli, 549
- Disomic inheritance
seed color in reed canarygrass, 1051
- Disorder
boron and hollow stem in broccoli, 1221
- Dominant gene
stem tip necrosis in soybean, 661
- Dose-response function
ozone on white bean, 131
- Douglas-fir zone
recovery of pinegrass, 259
- Drought stress
effect of drought on yield of oilseed rape, 283
leaf silvering of *Curcubita*, 593
- Dry edible bean (yellow eye)
Aresteuben field bean, 817
- Dry edible (navy or pea) bean
Dresden field bean, 821
- Dry edible (white, navy or pea) bean
Mitchell field bean, 819
- Dry matter yield
spring growth and tiller characteristics of switchgrass, 167
- Drying
crushing stems to improve field drying, 637
- Durée du gel
humidité du sol, température et durée du gel de la luzerne, 765
- Durée d'interference
durée d'interference du chiendent dans la luzerne, 451
- Durum wheat
kyle Durum wheat, 225
- Earliness
Mitchell field bean, 819
- Early maturity
Otal barley, 1097
- Ears per plant
plant density, maturity, and prolificacy effects on early maize, 35
- Éclairage d'appoint
température et éclairage sur le *Gerbera* et le *Calendula*, 871
- Economic loss

- ozone on white bean, 131
- Economics, of N fertilization, 1105
- Eggplant
 - lateral roots and eggplant growth and yield, 305
- Emergence
 - potato shoot emergence, 599
- Endurcissement au froid
 - prelevement et mesure de la tolerance au gel du fraiser, 343
- Ensiling
 - genetic variance of proteolytic activity in alfalfa herbage, 159
- Entreposage
 - desordres physiologique du chou en entrepot, 321
- Environmental control
 - CO₂ × temperature on soybean, 59
- Ethophon
 - response of Max spring wheat to management inputs, 645
- Ethyl methanesulfonate
 - chemical mutagenesis in two *Cuphea* species, 909
- Ethylene diurea
 - ozone on white bean, 131
- Euphorbia esula* L.
 - glyphosate in laticifers, 509
- Faba bean
 - plant density studies in faba bean, 1
 - recurrent selection in faba bean, 79
- Falling number
 - harvest time and drying method for winter rye, 417
- False hellebore
 - Veratrum viride*, 777
- Fertility trends
 - neighbor methods for field trials, 477
- Fertilizer rate
 - seed and fertilizer rate on spring wheat yield, 813
- Festuca*
 - forage quality: indigenous and introduced grasses, 193
- Fiber
 - fibrosity index vs. forage quality, 445
- Fibrosity index
 - fibrosity index vs. forage quality, 445
- Field bean
 - bean nitrogen response, 425
 - field bean G × E interactions, 653
- First bloom
 - snap bean flower and pod abscission, 1193
- Flamprop
 - control of wild oats in field corn with flamprop methyl, 271
- Flamprop methyl
 - efficacy of wild oat herbicides, 1117
- Flax
 - blends of flax cultivars, 797
 - Vimy flax, 245
- Flea beetles
 - flea beetle feeding on broccoli, 549
- Floraison
 - prelevement et mesure de la tolerance au gel du fraiser, 343
- Flower bud abscission
 - vegetative growth in relation to pepper yield, 521
- Fluazifop-p-butyl
 - efficacy of wild oat herbicides, 1117
- Flue-cured tobacco
 - chemical composition of selected tobacco grades, 1203
- Fluorescence
 - photosynthetic efficiency in triazine-resistant canola, 280
- Forage
 - annual forage mixtures, 175
- Forage grass mixtures
 - mixture of brome grass, orchard grass and timothy, 203
- Forage grasses
 - cold hardiness in forage grasses, 1111
- Forage legume
 - identification of *D. ovalifolium* cvs. by PAGE, 713
- Forage quality
 - fibrosity index vs. forage quality, 445
 - forage quality of alfalfa stems, 1057
- Fourrage
 - céréales de printemps pour le grain et le fourrage, 137
- Fragaria x ananassa* (see Strawberry/voyez fraiser)
- Fraiser
 - prelevement et mesure de la tolerance au gel du fraiser, 343
- Framboisier
 - temps de doublage de framboisiers, 863
- Freezing
 - low temperature stress in crops, 1121
- Freezing injury
 - low temperature stress in horticultural production, 1135
- Frost hazard
 - freezing temperature impact, 1167
- Frost protection

- low-temperature stress in horticultural production, 1135
- Frost tolerance
frost and ice nucleating bacteria in field crops, 1155
- Fruit composition
NPK fertilization of grapes, 511
- Fruit maturity
lateral roots and eggplant growth and yield, 305
- Fusarium*
fusaria and trichothecenes in wheat, 611
- Galeopsis tetrahit* L., 787
- Galium spurium* L.
false cleavers in rapeseed, 839
- Gel
humidité du sol, température et durée du gel de la luzerne, 765
- Gene conservation
cryopreservation of apple genetic resources, 1151
- Gene expression
prolamin synthesis in endosperm of cereals, 284
- Gene linkage tests
soybean isozyme tests, 285
- Genetic diversity in crop plants, 280
- Genetic variability
cold tolerance in cereals, 278
- Genetics
genetics of cold hardiness in winter wheat, 276
inheritance of kernel hardness in wheat clarified, 235
seed color in reed canarygrass, 1051
- Genotype \times environment interaction
field bean G \times E interactions, 653
slant density, maturity, and prolificacy effects on early maize, 35
- Gerbera jamesonii*
peat bag culture of gerberas, 585
température et éclairage sur le *Gerbera* et le *Calendula*, 871
- Germination
harvest time and drying method for winter rye, 417
- Gliadin
antibody quantitation of specific gliadins, 121
wheat cultivar identification by SDS gradient PAGE, 945
- Glucosinolate
the inheritance of goitrin in cabbage, 567
- Glutenin subunits
wheat cultivar identification by SDS gradient PAGE, 945
- Glycine
genetic effects on reproductive phenology in soybeans, 105
waterlogging and nitrate effects on soybean, 69
- Glycine max* L. Merr. (see Soybean)
- Glyphosate
brush control by herbicides applied with a roller, 467
durée d'interférence du chiendent dans la luzerne, 451
glyphosate in laticifers, 509
multiple passes with roller-applicator to control brush, 845
- Grades
chemical composition of selected tobacco grades, 1203
- Grain yield
selection for yield in spring wheat, 605
- Grains
céréales de printemps pour le grain et le fourrage, 137
- Grape
NPK fertilization of grapes, 511
- Grass
grazing versus clipping, 503
- Grass species
productivity of grass species in Saskatchewan, 719
- Grasses (forage)
herbicide tolerance of forage grass seedlings, 283
- Grassy weeds
effect of barley, red clover and weeds on timothy, 1019
weed dynamics in timothy stands, 1035
- Greenhouse production
peat bag culture of gerberas, 585
- Grinding time
inheritance of kernel hardness in wheat clarified, 235
- Growth
calcium alleviates mung bean sprout spoilage, 537
- Growth analysis
photosynthesis in leafminer infested alfalfa, 433
- Growth type
growth type in red clover, 276
- Hail
plant density and rapeseed yield, 43
- Haloxypop-methyl
durée d'interférence du chiendent dans la

- luzerne, 451
- Harvest index
 - ancestral and modern wheats, 87
 - selection for yield in spring wheat, 605
- Harvest mode
 - harvest modes of annual forages, 831
- Harvesting method
 - immaturity and harvesting method effects on barley grain, 953
- Hauteur et fréquence des coupes
 - hauteur et fréquence des coupes chez la luzerne, 735
- Hay
 - economics of N fertilization, 1105
 - productivity of grass species in Saskatchewan, 719
- Hay and pasture systems
 - performance of smooth and meadow brome grass, 284
- Hay yields
 - row spacing effects on perennial grasses, 755
- Heat units
 - heat unit baseline temperature for *Brassica napus*, 283
- Height
 - barley whole-plant yield, 1009
- Helianthus tuberosus* L. (see Artichoke (Jerusalem))
- Hemp-nettle
 - the biology of Canadian weeds, 787
- Herbage removal
 - grazing versus clipping, 503
- Herbicide
 - photosynthesis in normal and triazine resistant brassica, 457
- Herbicide residues
 - residues of sulfonyl urea herbicides, 286
- Herbicide tolerance
 - herbicide tolerance of forage grass seedlings, 283
- Heritability
 - genetic variance of proteolytic activity in alfalfa herbage, 159
- High-pressure sodium (HPS)
 - lighting and tomato nutrition, 559
- High test weight
 - Baldwin oat, 499
- Hordein
 - barley cultivar identification by SDS gradient PAGE, 927
- Hordeum vulgare* L. (see Barley/voyez Orge)
- Host-damage
 - gall-inducing cynipid wasps attacking *Rosa rugosa*, 1227
- Hexazinone
 - shrubby cinquefoil control, 727
- High yield
 - HY320 red spring wheat, 807
- Humidité du sol
 - humidité du sol, température et durée du gel de la luzerne, 765
- Hybrid vigor
 - leaf area in maize, 99
- Hypersensitivity
 - stem tip necrosis in soybean, 661
- Hypocotyl
 - calcium alleviates mung bean sprout spoilage, 537
- Immaturity
 - immaturity and harvesting method effects on barley grain, 953
- Immunoassay
 - antibody quantitation of specific gliadins, 121
- In vitro digestibility
 - forage quality of alfalfa stems, 1057
- Indemnities
 - freezing temperature impact, 1167
- Infrared reflectance
 - analysis of corn by near infrared reflectance, 747
- Insecticide treatment
 - quality of midge-damaged red spring wheat, 697
- Insoluble β -glucan
 - acid extract viscosity and β -glucan of barley, 997
- Intensive cereal management
 - ICM for winter and spring wheat, 279
- Intermittent mist propagation
 - etiolation aids rooting of Saskatoon berry cuttings, 299
- Interspecific competition
 - mixtures of brome grass, orchardgrass and timothy, 203
- Interspecific crosses
 - bean interspecific crosses, common blight, 685
- Irradiation
 - vigor testing of cereal seed, 286
- Isoenzymes
 - apple peroxidases, 293
- Isozymes
 - soybean isozyme tests, 285
- Italian ryegrass
 - harvest modes of annual forages, 831
- Jerusalem artichoke
 - adaptability of Jerusalem artichoke in

- Quebec, 349
- June-bearing
hormetic stimulation of strawberry, 1181
- Kale
seeding dates of forage brassicas, 1045
- Kernel moisture content
immaturity and harvesting method effects on
barley grain, 953
- Latex
glyphosate in laticifers, 509
- Lattice design
neighbor methods for field trials, 477
- Lauric acid
chemical mutagenesis in two *Cuphea* species, 909
- Leaf area
lateral roots and eggplant growth and yield, 305
photoperiod and water stress effects on
barley, 21
- Linum usitatissimum* L. (see Flax)
- Longevity
productivity of grass species in Saskatchewan, 719
- Low temperature
ambient air temperature and tobacco
flowering, 1231
CO₂ × temperature on soybean, 59, 629
- Luzerne
duree d'interference du chiendent dans la
luzerne, 451
hauteur et frequence des coupes chez la
luzerne, 735
humidité du sol, température et durée du gel
de la luzerne, 765
- Lycopersicon esculentum* Mill. (see
Tomato/voyez Tomato)
- L-ascorbic acid
ascorbic acid content in tomatoes and cultivars, 331
- Marchine harvest
culture and harvest method on strawberry
production, 853
- Malting barley
Ellice barley, 823
- Malus domestica* Borkh. (see Apple)
- Mancozebe
tolerance de l'orge a la tache, 153
- Marrow
leaf silvering of curcubita, 593
- Matted rows
culture and harvest method on strawberry
production, 853
- Mattson bean cooker
cultivar and location effects on navy bean
cooking times, 923
- Maturity
barley whole-plant yield, 1009
- Max
response of max spring wheat to management inputs, 645
- Medicago sativa* L. (see Alfalfa)
- Medium-chain triglycerides
chemical mutagenesis in two *Cuphea* species, 909
- Medium-hard kernels
inheritance of kernel hardness in wheat clarified, 235
- Mélange trèfle rouge-fléole des prés
esrvie à l'hiver du trèfle rouge, 1101
- Metsulfuron
metsulfuron effect on barley and succeeding
crops, 1083
- Metsulfuron methyl
residues of sulfonyl urea herbicides, 286
- Midge (orange wheat blossom)
quality of midge-damaged red spring wheat, 697
- Mineral supplement
calcium alleviates mung bean sprout
spoilage, 537
- Mineral uptake
lighting and tomato nutrition, 559
- Mixtures
annual forage mixtures, 175
- Molecular weight
apple peroxidases, 293
- Monoclonal antibody
antibody quantitation of specific gliadins, 121
- Monoculture corn
corn root distribution and rotation, 231
- Moucheture noire
desordres physiologique du chou en entrepot, 321
- Multifloret trait
multifloret trait in wheat, 281
- Multiple-row beds
production of small seed tubers of Yukon
gold, 365
- Multiplication in vitro
temps de doublage des framboisiers, 863
- Mustard
effect of *brassica* residue on crops, 983
frost and ice nucleating bacteria in field
crops, 1155
outcrossing in rape and mustard, 147
- Mycotoxins
fusaria and trichothecenes in wheat, 611
- Napropamide

- effects of herbicides on alfalfa forage production, 849
- Navy beans
cultivar and location effects on navy bean cooking times, 923
- Neighbor analysis
neighbor methods for field trials, 477
- Net blotch control
barley net blotch disease, 287
- Nitrate
fertilisation azotée, activité nitrate réductase chez l'avoine, 373
- Nitrate d'ammoniaque
fertilisation azotée, activité nitrate réductase chez l'avoine, 373
- Nitrogen
bean nitrogen response, 425
boron and hollow stem in broccoli, 1221
response of Max spring wheat to management inputs, 645
- Nitrogen fertilization
rapeseed cultural practices in Alaska, 53
- Nitrogen fertilizer
economics of N fertilization, 1105
- Nutrition
lighting and tomato nutrition, 559
- N and P fertilizer for alfalfa establishment, 275
- N-fertilizer
N fertilizer on ryegrass pasture, 279
- N-uptake
N uptake by winter wheat, 285
- N₂ fixation assay methods
N₂ fixation in white bean and soybean, 11
- Oat
Baldwin oat, 499
diclofop-methyl uptake in oat protoplasts, 215
effects of panicle size reduction on seed weight in oats, 621
frost and ice nucleating bacteria in field crops, 1155
- Oat (wild)
control of wild oats in field corn with flammop methyl, 271
efficacy of wild oat herbicides, 1117
- Oilseed
photosynthesis in normal and triazine-resistant *Brassica*, 457
Vimy flax, 245
- Oilseed rape
effect of drought on yield of oilseed rape, 283
- Old cultivars
ancestral and modern wheats, 87
- Orache
Atriplex patula, *A. prostrata*, *A. rosea*, 1069
- Orchardgrass
mixtures of brome grass, orchardgrass and timothy, 203
- Orge
céréales de printemps pour le grain et le fourrage, 137
tolérance de l'orge à la tache helminthosporienne, 153
- Outcrossing
outcrossing in rape and mustard, 147
- Ozone
ozone on white bean, 131
- Panicle size
effects of panicle size reduction on seed weight in oats, 621
- Panicum virgatum* L.
spring growth and tiller characteristics of switchgrass, 167
- Paraweb
windbreak and mulch on peppers, 315
- Park wheat
the effect of copper in reducing stem melanosis of Park wheat, 1089
- Pasture
N fertilizer on ryegrass pasture, 279
productivity of grass species in Saskatchewan, 719
- Pea (field)
Bellevue field pea, 805
seed coat durability in peas, 667
- Pepper
vegetative growth in relation to pepper yield, 521
windbreak and mulch on peppers, 315
- Perennial
chromosome numbers of perennial *Bromus* species, 267
- Perennial grasses
row spacing effects on perennial grasses, 755
- Peroxidase
apple peroxidases, 293
- Persistence
chlorsulfuron on barley and rotation crops, 337
metsulfuron effect on barley and succeeding crops, 1083
- Petiole
NPK fertilization of grapes, 511
- Phalaris arundinacea* L.
seed color in reed canarygrass, 1051
- Phaseolus coccineus*
bean interspecific crosses, common

- blight, 685
- Phaseolus vulgaris* L. (see Bean)
- Phenology
 - photoperiod and water stress effects on barley, 21
- Phleum pratense* L. (see Timothy)
- Photosynthesis
 - photosynthesis in leafminer infested alfalfa, 433
- Physiological disorder
 - leaf silvering of curcubita, 593
- Phytate
 - cultivar and location effects on navy bean cooking times, 923
- Phytophthora megasperma* f. sp. *glycinea* soybean isozyme tests, 285
- Phytotoxicity
 - effect of brassica residue on crops, 983
- Picloram
 - brush control by herbicides applied with a roller, 467
 - multiple passes with roller-applicator to control brush, 845
 - shrubby cinquefoil control, 727
- Phaseolus vulgaris* (see Bean (White))
- Pisum sativum* L. (see Pea)
- Plant density
 - plant density studies in faba bean, 1
- Plant height
 - water and N utilization by winter wheat, 277
- Plant population
 - plant density, maturity, and prolificacy effects on early maize, 35
- Plant populations
 - determinate and semi-determinate soybeans, 275
- Plant regeneration
 - wheat callus culture and regeneration, 284
- Planting dates
 - determinate and semi-determinate soybeans, 275
- Planting rate
 - plant density, maturity, and prolificacy effects on early maize, 35
- Polyacrylamide gel electrophoresis
 - identification of *D. ovalifolium* cvs. by PAGE, 713
- Poplar
 - brush control by herbicides applied with a roller, 467
 - multiple passes with a roller-applicator to control brush, 845
- Population
 - survie a l'hiver du trefle rouge, 1101
- Potassium
 - potassium and tomato fruit color, 359
- Potato
 - chlorsulfuron on barley and rotation crops, 337
 - metsulfuron effect on barley and succeeding crops, 1083
 - potato shoot emergence, 599
 - production of small seed tubers of Yukon gold, 365
- Potato (seed)
 - production of small seed tubers of Yukon gold, 365
- Potentilla fruticosa* L.
 - shrubby cinquefoil control, 727
- Powdery mildew
 - adaptability of Jerusalem artichoke in Quebec, 349
- Premature flowering
 - ambient air temperature and tobacco flowering, 1231
- Productivity
 - white clover in Atlantic Canada, 278
 - productivity of grass species in Saskatchewan, 719
- Prolamins
 - prolamin synthesis in endosperm of cereals, 284
- Propiconazole
 - response of Max spring wheat to management inputs, 645
- Proteines
 - fertilisation azotée, activité nitrate réductase chez l'avoine, 373
- Protoplasts
 - diclofop-methyl uptake in oat protoplasts, 215
- Pulses
 - annual forage mixtures, 175
- Qualité fourragère
 - durée d'interférence du chiendent dans la luzerne, 451
- Quality
 - analysis of corn by near infrared reflectance, 747
 - cauliflower quality, 589
 - chemical composition of selected tobacco grades, 1203
 - immaturity and harvesting method effects on barley grain, 953
- Radish
 - seeding dates of forage brassicas, 1045
- Range
 - recovery of pinegrass, 259

- Rape
outcrossing in rape and mustard, 147
- Rape (summer)
Westar summer rape, 491
- Rapeseed (see Canola)
- Raphanus sativus* L. (see Radish)
- Recurrent selection
recurrent selection in faba bean, 79
- Reed canarygrass
seed color in reed canarygrass, 1051
- Related species
improvement of cold tolerance in wheat, 282
- Rendement
céréales de printemps pour le grain et le fourrage, 137
enrichissement en CO₂ de la tomate de serre, 899
hauteur et fréquence des coupes chez la luzerne, 735
survie à l'hiver du trèfle rouge, 1101
- Reproductive growth
vegetative growth in relation to pepper yield, 521
- Réserves nutritives
hauteur et fréquence des coupes chez la luzerne, 735
- Residue decline
captan residues on greenhouse and field tomato fruit, 355
- Resistance
wheat resistance to *Septoria*, 285
- Rhizobium
bean nitrogen response, 425
- Roller-applicator
brush control by herbicides applied with a roller, 467
multiple passes with roller-applicator to control brush, 845
- Root gall
gall-inducing cynipid wasps attacking *Rosa rugosa*, 1227
- Root growth
water uptake and root growth in chilli peppers, 531
- Root production
lateral roots and eggplant growth and yield, 305
- Rootstock
production of graftable wood from grape rootstock, 289
- Root-zone temperature
cold tolerance in maize, 409
- Rosa rugosa*
gall-inducing cynipid wasps attacking *Rosa rugosa*, 1227
- Row spacing
rapeseed cultural practices in Alaska, 53
row spacing effects on perennial grasses, 755
- Row widths
determinate and semi-determinate soybeans, 275
- Rubus idaeus* L. (voyez Framboisier)
- Rutabaga
chlorsulfuron on barley and rotation crops, 337
- Rye
prolamin synthesis in endosperm of cereals, 284
- Rye (winter)
harvest time and drying method for winter rye, 417
- Ryegrass (Russian wild)
N fertilizer on ryegrass pasture, 279
- Saskatchewan climate
test of the CERES wheat model, 285
- Saskatoon berry
etiolation aids rooting of Saskatoon berry cuttings, 299
- Sclerotinia rot
adaptability of Jerusalem artichoke in Quebec, 349
- SDS gradient PAGE
barley cultivar identification by SDS gradient PAGE, 927
wheat cultivar identification by SDS gradient PAGE, 945
- Secale cereale* L. (see Rye)
- Secondary seed weight
effects of panicle size reduction on seed weight in oats, 621
- Seed coat durability in peas, 667
- Seed color
seed color in reed canarygrass, 1051
- Seed production
effect of rapeseed companion crop on alfalfa seed yield, 263
- Seed quality
effect of moisture addition on the quality of stored wheat, 403
- Seed rate
seed and fertilizer rate on spring wheat yield, 813
- Seed size
selection for yield in spring wheat, 605
- Seed tubers
potato shoot emergence, 599
- Seed yield

- blends of flax cultivars, 797
- plant density and rapeseed yield, 43
- winter rapeseed adaptation, 675
- Seed yields
 - row spacing effects on perennial grasses, 755
- Seeding date
 - cold hardiness in forage grasses, 1111
- Seeding depth
 - effect of seeding depth on winter wheat, 279
- Seeding rate
 - plant density studies in faba bean, 1
 - rapeseed cultural practices in Alaska, 53
- Seedling emergence
 - effect of seeding depth on winter wheat, 279
 - effect of soil factors on winter wheat emergence, 281
- Selection for protein content
 - early generation selection for protein in durum wheat, 282
- Selection methods
 - selection for yield in spring wheat, 605
- Selectivity
 - control of speckled alders in lowbush blueberries, 369
- Senescence
 - control of speckled alders in lowbush blueberries, 369
- Sensory evaluation
 - cauliflower quality, 589
- Septoria tritici*
 - wheat resistance to *Septoria*, 285
- Serre
 - enrichissement en CO₂ de la tomate de serre, 899
- Serum
 - tomatoes for concentrated product, 881
- Short-term dynamics
 - weed dynamics in timothy stands, 1035
- Silage
 - genetic variance of proteolytic activity in alfalfa herbage, 159
- Silage corn
 - metasulfuron effect on barley and succeeding crops, 1083
- Simazine
 - effects of herbicides on alfalfa forage production, 849
- Sitodiplosis mosellana* Gehin
 - wheat midge in spring cereals, 117
- Sodium azide
 - chemical mutagenesis in two *Cuphea* species, 909
- Softwood cuttings
 - etiolation aids rooting of Saskatoon berry cuttings, 299
- Soil factors
 - effect of soil factors on winter wheat emergence, 281
- Soil moisture
 - efficacy of wild oat herbicides, 1117
 - water uptake and root growth in chilli peppers, 531
- Solanum melongena* L. (see Eggplant)
- Solid beds
 - culture and harvest method on strawberry production, 853
- Solids
 - tomatoes for concentrated product, 881
- Soluble β -glucan
 - acid extract viscosity and β -glucan of barley, 997
- Soluble-nonprotein nitrogen
 - genetic variance of proteolytic activity in alfalfa herbage, 159
- Somaclonal variation
 - wheat callus culture and regeneration, 284
- Soybean
 - determinate and semi-determinate soybeans, 275
 - soybean isozyme tests, 285
 - genetic effects on reproductive phenology in soybeans, 105
 - N₂ fixation in white bean and soybean, 11
 - OAC aries soybean, 257
 - OAC scorpio soybean, 255
 - stem tip necrosis in soybean, 661
 - waterlogging and nitrate effects on soybean, 69
- Soybean growth
 - CO₂ temperature on soybean, 59
- Soybean mosaic virus
 - stem tip necrosis in soybean, 661
- Soybean yield
 - CO₂ temperature on soybean, 629
- Spring growth
 - spring growth and tiller characteristics of switchgrass, 167
- Stand density
 - spring growth and tiller characteristics of switchgrass, 167
- Stem crushing
 - crushing stems to improve field drying, 637
- Stem gall
 - gall-inducing cynipid wasps attacking *Rosa rugosa*, 1227
- Stem melanosis
 - the effect of copper in reducing stem mela-

- nosis of Park wheat, 1089
- Stem types
 - determinate and semi-determinate soybeans, 275
- Strawberry
 - culture and harvest method on strawberry production, 853
- Sulfur deficiency
 - antibody quantitation of specific gliadins, 121
- Summer squash
 - leaf silvering of *curcurbita*, 593
- Sunflower
 - annual forage mixtures, 175
- Supplementary lighting
 - lighting and tomato nutrition, 559
- Survie
 - prelevement et mesure de la tolerance au gel du fraiser, 343
- Survie a l'hiver
 - survie à l'hiver du trèfle rouge, 1101
- Survie au gel
 - humidité du sol, température et durée du gel de la luzerne, 765
- Switchgrass
 - spring growth and tiller characteristics of switchgrass, 167
- Tache helminthosporienne
 - tolérance de l'orge à la tache helminthosporienne, 153
- Tebuthiuron
 - shrubby cinquefoil control, 727
- Temperature
 - potato shoot emergence, 599
- Température nocturne
 - température et éclairage sur le *Gerbera* et le *Calendula*, 871
- Temperature-dependent
 - stem tip necrosis in soybean, 661
- Tempering
 - effect of moisture addition on the quality of stored wheat, 403
- Temps de doublage
 - le temps de doublage des framboisiers, 863
- Terbacil
 - effects of herbicides on alfalfa forage production, 849
- Test mass
 - harvest time and drying method for winter rye, 417
- Tetraploid
 - chromosome numbers of perennial *Bromus* species, 267
- Texture
 - cauliflower quality, 589
- Tiller
 - grazing versus clipping, 503
- Tiller characteristics
 - spring growth and tiller characteristics of switchgrass, 167
- Tillering
 - grazing versus clipping, 503
- Tillers
 - recovery of pinegrass, 259
- Timothy
 - effect of barley, red clover and weeds on, 1019
 - forage quality: indigenous and introduced grasses, 193
 - mixtures of brome grass, orchardgrass and timothy, 203
 - urea and ammonium nitrate for grasses, 185
 - weed dynamics in timothy stands, 1035
- Tip necrosis
 - stem tip necrosis in soybean, 661
- Tobacco chemistry
 - chemical composition of selected tobacco grades, 1203
- Tolérance
 - tolérance de l'orge à la tache helminthosporienne, 153
- Tolérance au gel
 - humidité du sol, température et durée du gel de la luzerne, 765
 - prelevement et mesure de la tolérance au gel du fraiser, 343
- Tomate
 - enrichissement en CO₂ de la tomate de serre, 899
- Tomato
 - ascorbic acid content in tomatoes and cultivars, 331
 - lighting and tomato nutrition, 559
 - potassium and tomato fruit color, 359
 - weed interference in field-seeded tomatoes, 575
- Tomato product
 - measuring tomato product consistency, 919
- Tomato (field and greenhouse)
 - captan residues on greenhouse and field tomato fruit, 355
- Total nonstructural carbohydrate
 - grazing versus clipping, 503
- Transplant
 - hormetic stimulation of strawberry, 1181
- Transplanting
 - lateral roots and eggplant growth and yield, 305

- Transplants
 - flea beetle feeding on broccoli, 549
- Triazine-resistance
 - photosynthetic efficiency in triazine-resistant canola, 280
- Trichothecenes
 - fusaria and trichothecenes in wheat, 611
- Triticale (spring)
 - Beaguelita spring triticale, 495
- Triticum aestivum* L. (see Wheat/voyez Blé)
- Tuber yield
 - tolerance of Jerusalem artichoke to herbicides, 835
- Turnip
 - seeding dates of forage brassicas, 1045
- 2-4-D
 - brush control by herbicides applied with a roller, 467
 - control of speckled alders in lowbush blueberries, 369
 - effects of herbicides on alfalfa forage production, 849
 - multiple passes with roller-applicator to control brush, 845
 - shrubby cinquefoil control, 727
- Urea
 - urea and ammonium nitrate for grasses, 185
- Vegetative
 - vegetative growth in relation to pepper yield, 521
- Veratrum viride* ait., 777
- Verticillium wilt
 - barrier alfalfa, 827
- Vicia faba*
 - plant density studies in faba bean, 1
 - recurrent selection in faba bean, 79
- Vigor testing
 - vigor testing of cereal seed, 286
- Virus diseases
 - viruses of corn in Peru, 276
- Viscosity
 - tomatoes for concentrated product, 881
- Visual head selections
 - selection for yield in spring wheat, 605
- Vitamin C
 - ascorbic acid content in tomatoes and cultivars, 331
- Water and N
 - water and N utilization by winter wheat, 277
- Water-imbibition
 - effect of moisture addition on the quality of stored wheat, 403
- Water uptake
 - water uptake and root growth in chilli peppers, 531
- Weed
 - the biology of Canadian weeds, 1069
 - weed interference in field-seeded tomatoes, 575
- Weed biology
 - Atriplex patula*, L. *A. prostrata* L., *A. rosea* L., 1069
 - Galeopsis tetrahit* L., 787
 - Veratrum viride*, 777
- Weed control
 - tolerance of Jerusalem artichoke to herbicides, 835
- Weed ecology
 - the biology of Canadian weeds. *Galeopsis tetrahit* L., 787
- Wheat
 - crushing stems to improve field drying, 637
 - effect of moisture addition on the quality of stored wheat, 403
 - frost and ice nucleating bacteria in field crops, 1155
 - fusaria and trichothecenes in wheat, 611
 - inheritance of kernel hardness in wheat clarified, 235
 - prolamin synthesis in endosperm of cereals, 284
 - seed and fertilizer rate on spring wheat yield, 813
 - wheat callus culture and regeneration, 284
 - wheat resistance to *Septoria*, 285
- Wheat cultivar identification
 - wheat cultivar identification by SDS gradient PAGE, 945
- Wheat (durum)
 - early generation selection for protein in durum wheat, 282
- Wheat midge
 - wheat midge in spring cereals, 117
- Wheat (spring)
 - ancestral and modern wheats, 87
 - Belvedere spring wheat, 253
 - crop production in Alberta, 385
 - HY320 red spring wheat, 807
 - Katepwa hard red spring wheat, 229
 - Max spring wheat, 249
 - quality of midge-damaged red spring wheat, 697
 - response of Max spring wheat to management inputs, 645
 - Roblin hard red spring wheat, 803
 - seed and fertilizer rate on spring wheat yield, 813

- selection for yield in spring wheat, 605
- Wheat (spring and winter)
 - ICM for winter and spring wheat, 279
- Wheat (winter)
 - crop management of winter wheat, 277
 - effect of seeding depth on winter wheat, 279
 - effect of soil factors on winter wheat emergence, 281
 - genetics of cold hardiness in winter wheat, 276
 - improvement of cold tolerance in wheat, 282
 - multifloret trait in wheat, 281
 - N uptake by winter wheat, 285
 - water and N utilization by winter wheat, 277
 - Absolvent winter wheat, 1093
- Wheat (winter, semi-dwarf)
 - coldhardy semi-dwarf winter wheat, 278
- Wheat-grain quality
 - antibody quantitation of specific gliadins, 121
- Whole-plant
 - barley whole-plant yield, 1009
- Whole-plant corn
 - analysis of corn by near infrared reflectance, 747
- Willow
 - brush control by herbicides applied with a roller, 467
- Windbreak
 - windbreak and mulch on peppers, 315
- Windrow
 - harvest time and drying method for winter rye, 417
- Winter rapeseed
 - winter rapeseed adaptation, 675
- Winter survival
 - cold hardiness in forage grasses, 1111
 - low temperature stress in crops, 1121
 - winter rapeseed adaptation, 675
- Winter wheat
 - sorghum production in Alberta, 385
- Wood production
 - production of graftable wood from grape rootstock, 289
- X-ray
 - hormetic stimulation of strawberry, 1181
- X triticosecale wittmack
 - Beaguelita spring triticale, 495
- Xanthomonas campestris* pv *phaseoli*
 - bean interspecific crosses, common blight, 685
- Yield
 - barley whole-plant yield, 1009
 - cauliflower quality, 589
 - culture and harvest method on strawberry production, 853
 - immaturity and harvesting method effects on barley grain, 953
 - NPK fertilization on grapes, 511
 - rapeseed cultural practices in Alaska, 53
- Yield components
 - ancestral and modern wheats, 87
 - plant density, maturity, and prolificacy effects on early maize, 35
 - plant density studies in faba bean, 1
- Yield determination
 - effect of drought on yield of oilseed rape, 283
- Yield testing
 - field bean G \times E interactions, 653
- Zea mays* L. (see Corn)

